

Optical imaging of ocular pathology in Alzheimer's disease

<https://neurodegenerationresearch.eu/survey/optical-imaging-of-ocular-pathology-in-alzheimer%c2%92s-disease/>

Principal Investigators

Institution

Contact information of lead PI

Country

European Commission

Title of project or programme

Optical imaging of ocular pathology in Alzheimer's disease

Source of funding information

European Commission Horizon 2020

Total sum awarded (Euro)

€ 1,497,000

Start date of award

01/09/2015

Total duration of award in years

5.0

The project/programme is most relevant to:

Alzheimer's disease & other dementias

Keywords

Research Abstract

Novel diagnostic techniques and disease models have the powerful potential to provide new insights into pathological and pathophysiological processes. Ocular manifestations of Alzheimer's disease (AD) emerge as novel and attractive alternative to investigate disease progression in parallel to the brain. Using the eye as a window to the brain, we propose to develop multi-functional optical coherence tomography (OCT) as a noninvasive in-vivo technique for preclinical imaging of AD pathology. OCT is analogous to ultrasound B-mode imaging, using light rather than acoustical waves, and performs high-resolution real time 3D imaging of microstructure in biological tissues in situ. Based on the optical polarization properties or movement of particles, functional OCT methods provide additional contrast channels. In the proposed project, we will unite/join standard and functional OCT for imaging ocular and cerebral pathology in AD mouse models with threefold contrast. Structural changes

caused by neuronal cell loss in the retina will be assessed longitudinally and with micron-scale resolution. Beta-amyloid plaques are birefringent and are deposited in both brain and retina in AD. We propose to exploit these intrinsic polarization properties for noninvasive detection and longitudinal characterization/assessment of retinal plaque load. Simultaneously, we will assess AD-related changes in retinal microvasculature. Retinal blood flow will be measured in quantitative units and monitored during disease progression. In addition to the retina, we will perform longitudinal imaging of AD-related lesions in the ocular lens with OCT. By correlating ocular AD pathology as imaged with OCT to cerebral lesions, the proposed research provides a new set of in vivo parameters that potentially shed new light on the pathogenesis and impact early diagnosis of AD in aging populations worldwide.

Lay Summary

Further information available at:

Types:

Investments > €500k

Member States:

European Commission

Diseases:

Alzheimer's disease & other dementias

Years:

2016

Database Categories:

N/A

Database Tags:

N/A