

The role of Prolyl oligopeptidase (POP) and its inhibition on α -synuclein aggregation and Parkinson's disease models

<https://www.neurodegenerationresearch.eu/survey/the-role-of-prolyl-oligopeptidase-pop-and-its-inhibition-on-synuclein-aggregation-and-parkinson%c2%92s-disease-models-3/>

Principal Investigators

Myöhänen Timo

Institution

University of Helsinki

Contact information of lead PI

Country

Finland

Title of project or programme

The role of Prolyl oligopeptidase (POP) and its inhibition on α -synuclein aggregation and Parkinson's disease models

Source of funding information

Academy of Finland

Total sum awarded (Euro)

€ 219,839

Start date of award

01/09/2016

Total duration of award in years

2

Keywords

Research Abstract

Parkinson's disease is a neurodegenerative disease with motor problems, where the neurons of locomotor areas of brain are devastated by the unknown reason. Current drug therapies are only not curative, preventative nor do they delay disease progression. Although the ultimate cause of neurodegeneration in PD is not known, one key player seems to be misfolding and aggregation of α Syn on brain dopaminergic neurons. This leads to damaging and death of

neurons, and eventually to clinical symptoms of PD. We have earlier shown that prolyl oligopeptidase (POP) enzyme inhibitors are able to block the aggregation and increase the clearance of aggregates after a short-term administration. Moreover, this increased the amount of dopamine in the brain. The aim of this project is to study the role of POP for aSyn aggregation and clearance by silencing the POP protein using different methods. In addition, the effects of POP and its inhibition on brain dopamine levels are studied.

Further information available at:

Types:

Investments < €500k

Member States:

Finland

Diseases:

N/A

Years:

2016

Database Categories:

N/A

Database Tags:

N/A